



NOTES/SPECIFICATIONS:

- DESIGN WAVELENGTH: 587.6nm
- 1. 2. 3. 4. 5. FOCAL LENGTH: f=99.7mm
- BACK FOCAL LENGTH(REF): bf=98.5mm CLEAR APERTURE: >90% OF DIAMETER
- SURFACE QUALITY: 40-20 SCRATCH-DIG
- 6. 7. 8.
- CENTRATION: <3arcmin DIAMETER TOLERANCE: +0.0/-0.1mm
- THICKNESS TOLERANCE: ±0.1mm COATING: BBAR Ravg<0.5% FROM 1050-1700nm, AOI: 0°, ON OUTER OPTICAL SURFACES 9.

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

| DRAWING PROJECTION | | | | | | | |
|---|------|-----------|------------------------------|----------|--|-----------|------|
| | NAME | DATE | ϕ =25.4mm f=100mm N-BK7 | | | | |
| DRAWN | WD | 19/NOV/09 | BCX LENS, -C COAT | | | | |
| APPROVAL | BW | 16/FEB/15 | MATERIAL | | | | REV |
| COPYRIGHT © 2015 BY THORLABS | | | | N-BK7 | | | С |
| VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS | | | ITEM # | LB1676-C | | APPROX WE | IGHT |